according to Regulation (EC) No 1907/2006

Mablex 470 BLACK

Revision date: 14.02.2022 Product code: 4xxFR_BK Page 1 of 7

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Mablex 470 BLACK

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Manufacturing of plastic articles and goods including compounding and conversion, eventually recycling.

1.3. Details of the supplier of the safety data sheet

Company name: Ravago Distribution Center NV

Street: Moerenstraat 85 A
Place: B 2370 Arendonk
Telephone: +32 (0) 14672511

hone: +32 (0) 14672511 Telefax: +32 (0) 14672012

e-mail: sdsinfo@ravago.com Internet: www.ravago.com 1.4. Emergency telephone +32(0)14672511

number: Only during office hours (8 am - 5 pm)

Further Information

Type of use: Injection moulding, blow moulding, Extrusion, Compression moulding,

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Hazardous to the aquatic environment: Aquatic Chronic 2

Hazard Statements:

Toxic to aquatic life with long lasting effects.

2.2. Label elements

Additional advice on labelling

For this product, a hazard label is not required according to section 1.3.4 of Annex I of the CLP regulation.

2.3. Other hazards

The hazards of this product are mainly associated with its processing

See section 11 for more detailed information on health effects and symptoms

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Thermoplastic polymer (PC/ABS-FR)

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
115-86-6	Triphenyl phosphate			5-10 %
	204-112-2		01-2119457432-41	
	Aquatic Acute 1, Aquatic Chronic 1; H400 H410			

Full text of H and EUH statements: see section 16.

according to Regulation (EC) No 1907/2006

Mablex 470 BLACK

Revision date: 14.02.2022 Product code: 4xxFR_BK Page 2 of 7

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

First aider: Pay attention to self-protection!

Provide adequate ventilation.

After inhalation

Provide adequate ventilation.

In case of inhalation of decomposition products, affected person should be moved into fresh air and kept still. Consult physician.

After contact with skin

The melted product can cause severe burns.

Do not use force or solvents to remove product incrustations from affected skin areas.

After contact with molten product, cool skin area rapidly with cold water.

Consult physician.

After contact with eyes

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

After ingestion

Consult physician.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Burns caused by molten material must be treated clinically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water and Foam. Carbon dioxide (CO2). Extinguishing powder. alcohol resistant foam. Sand.

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Carbon dioxide, Carbon monoxide, hydrocarbons. BPA.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures

High slip hazard because of leaking or spilled product. (Granulate)

6.2. Environmental precautions

Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up

For cleaning up

Take up mechanically.

Other information

Treat the recovered material as prescribed in the section on waste disposal. Do not empty into drains.

according to Regulation (EC) No 1907/2006

Mablex 470 BLACK

Revision date: 14.02.2022 Product code: 4xxFR_BK Page 3 of 7

6.4. Reference to other sections

Personal protection equipment: see section 8

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Provide adequate ventilation. Equipment with built-in suction provisions.

Advice on protection against fire and explosion

Provide earthing of containers, equipment, pumps and ventilation facilities. Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Dust should be exhausted directly at the point of origin. Dust can form an explosive mixture with air.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep in a cool place.

Provide adequate ventilation.

Hints on joint storage

storage stability:

storage temperature: < 40 °C

7.3. Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
1333-86-4	Carbon black	-	3.5		TWA (8 h)	WEL
		-	7		STEL (15 min)	WEL
115-86-6	Triphenyl phosphate	-	3		TWA (8 h)	WEL
		-	6		STEL (15 min)	WEL

DNEL/DMEL values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
1333-86-4	Carbon black			
Consumer DN	Consumer DNEL, long-term inhalation systemic 0,06 mg/m³			
Worker DNEL, long-term		inhalation	systemic	1 mg/m³

PNEC values

CAS No	Substance		
Environmental compartment Value			
1333-86-4 Carbon black			
Freshwater		50 mg/l	

8.2. Exposure controls

according to Regulation (EC) No 1907/2006

Mablex 470 BLACK

Revision date: 14.02.2022 Product code: 4xxFR_BK Page 4 of 7

Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

Protective and hygiene measures

When using do not eat, drink or smoke. Do not breathe dust.

Eye/face protection

Wear eye/face protection.

Hand protection

Wear suitable gloves.

Skin protection

Only wear fitting, comfortable and clean protective clothing. In case of increasing hazard add:heat-resistant synthetic fibres

Respiratory protection

Respiratory protection necessary at:In the case of the formation of dust(half-mask with filter (DIN EN 149).)

Environmental exposure controls

Do not contaminate water with the product or its container (Do not clean application equipment near surface water/Avoid contamination via drains from farmyards and roads).

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: solid (Granulate)

Colour: black

Odour: odourless to mild

pH-Value: not applicable

Changes in the physical state

Melting point: not applicable
Boiling point or initial boiling point and not applicable

boiling range:

Flash point: not applicable

Flammability

Solid/liquid: No information available.

Explosive properties

In the case of the formation of dust Dust explosive.

Lower explosion limits:

Upper explosion limits:

Auto-ignition temperature:

not applicable
not applicable

Self-ignition temperature

Solid: No information available.

Decomposition temperature: > 250 °C

Oxidizing properties

not applicable

Vapour pressure:not applicableDensity:1,03-1,28 g/cm³Bulk density:600 - 1000 kg/m³Water solubility:insolublePartition coefficient n-octanol/water:not applicable

according to Regulation (EC) No 1907/2006

Mablex 470 BLACK

Revision date: 14.02.2022 Product code: 4xxFR_BK Page 5 of 7

Viscosity / kinematic: not applicable
Relative vapour density: not applicable

9.2. Other information

No information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

This material is considered to be non-reactive under normal use conditions.

10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4. Conditions to avoid

Temperatures above thermal decomposition.

10.5. Incompatible materials

Oxidising agent, strong

10.6. Hazardous decomposition products

Carbon dioxide, Carbon monoxide, hydrocarbons. BPA. Styrene

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicocinetics, metabolism and distribution

No information available.

Acute toxicity

Based on available data, the classification criteria are not met.

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Further information

When used and handled according to the specifications, this product does not have any harmful effects to human health according to our experience and the information available. Contact the manufacturer in case the material is to be used in special applications such as in contact with food or for hygiene, medical or surgical end-use.

SECTION 12: Ecological information

12.1. Toxicity

Insoluble in: Water.

according to Regulation (EC) No 1907/2006

Mablex 470 BLACK

Revision date: 14.02.2022 Product code: 4xxFR_BK Page 6 of 7

12.2. Persistence and degradability

According to experiences this product is inert and not degradable.

12.3. Bioaccumulative potential

Due to the consistency along with the low water solubility of the product a bioavailability is unlikely.

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

No information available.

12.6. Endocrine disrupting properties

No information available.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Material recycling possible. Consult the appropriate local waste disposal expert about waste disposal.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:	No dangerous good in sense of this transport regulation.		
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.		
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.		
14.4. Packing group:	No dangerous good in sense of this transport regulation.		

Inland waterways transport (ADN)

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

14.7. Maritime transport in bulk according to IMO instruments

according to Regulation (EC) No 1907/2006

Mablex 470 BLACK

Revision date: 14.02.2022 Product code: 4xxFR_BK Page 7 of 7

No dangerous good in sense of this transport regulation.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

2010/75/EU (VOC): 0% 2004/42/EC (VOC): 0%

National regulatory information

Water hazard class (D): - - non-hazardous to water

15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out:

Triphenyl phosphate

SECTION 16: Other information

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Aquatic Chronic 2; H411	Calculation method

Relevant H and EUH statements (number and full text)

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.H411 Toxic to aquatic life with long lasting effects.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)