

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Sicoflex 469 COLOR

Revision date: 20.10.2021

Product code: 469_COL

Page 1 of 7

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Sicoflex 469 COLOR

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

Manufacturing of plastic articles and goods including compounding and conversion, eventually recycling.

1.3. Details of the supplier of the safety data sheet

Company name:	Ravago Distribution Center NV	
Street:	Moerenstraat 85 A	
Place:	B 2370 Arendonk	
Telephone:	+32 (0) 14672511	Telefax: +32 (0) 14672012
e-mail:	sdsinfo@ravago.com	
Internet:	www.ravago.com	

1.4. Emergency telephone

number: +32(0)14672511
Only during office hours (8 am - 5 pm)

Further Information

Type of use: Injection moulding. blow moulding. Extrusion. Compression moulding.

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Regulation (EC) No. 1272/2008**

Hazard categories:
Carcinogenicity: Carc. 2
Hazard Statements:
Suspected of causing cancer.

2.2. Label elements**Additional advice on labelling**

For this product, a hazard label is not required according to section 1.3.4 of Annex I of the CLP regulation.

2.3. Other hazards

The hazards of this product are mainly associated with its processing
See section 11 for more detailed information on health effects and symptoms

SECTION 3: Composition/information on ingredients**3.2. Mixtures****Chemical characterization**

Thermoplastic polymer (ABS-FR)

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification according to Regulation (EC) No. 1272/2008 [CLP]			
1309-64-4	antimony trioxide			1-5 %
	215-175-0	051-005-00-X	01-2119475613-35	
	Carc. 2; H351			

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Sicoflex 469 COLOR

Revision date: 20.10.2021

Product code: 469_COL

Page 2 of 7

4.1. Description of first aid measures

General information

First aider: Pay attention to self-protection!
Provide adequate ventilation.

After inhalation

Provide adequate ventilation.
In case of inhalation of decomposition products, affected person should be moved into fresh air and kept still.
Consult physician.

After contact with skin

The melted product can cause severe burns.
Do not use force or solvents to remove product incrustations from affected skin areas.
After contact with molten product, cool skin area rapidly with cold water.
Consult physician.

After contact with eyes

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

After ingestion

Consult physician.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Burns caused by molten material must be treated clinically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water and Foam. Carbon dioxide (CO₂). Extinguishing powder. alcohol resistant foam. Sand.

Unsuitable extinguishing media

No information available.

5.2. Special hazards arising from the substance or mixture

Carbon dioxide Carbon monoxide hydrocarbons. Nitrogen oxides (NO_x). Bromine hydrogen (HBr).

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

High slip hazard because of leaking or spilled product. (Granulate)

6.2. Environmental precautions

Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up

Take up mechanically. Treat the recovered material as prescribed in the section on waste disposal. Do not empty into drains.

6.4. Reference to other sections

Personal protection equipment: see section 8

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Sicoflex 469 COLOR

Revision date: 20.10.2021

Product code: 469_COL

Page 3 of 7

Advice on safe handling

Provide adequate ventilation.

Advice on protection against fire and explosion

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Provide earthing of containers, equipment, pumps and ventilation facilities.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep in a cool place.

Provide adequate ventilation.

Advice on storage compatibility

storage stability:

storage temperature: < 40 °C

7.3. Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
-	Antimony and compounds except stibine (as Sb)	-	0.5		TWA (8 h)	WEL
					STEL (15 min)	WEL
1333-86-4	Carbon black	-	3.5		TWA (8 h)	WEL
					STEL (15 min)	WEL
13463-67-7	Titanium dioxide, respirable	-	4		TWA (8 h)	WEL
					STEL (15 min)	WEL

Additional advice on limit values

For some additives used in this product exposure limits exist. However, they are incorporated in the product and under normal processing conditions no exposure is to be expected.

8.2. Exposure controls

Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

Protective and hygiene measures

When using do not eat, drink or smoke. Do not breathe dust.

Eye/face protection

Wear eye/face protection.

Hand protection

Wear suitable gloves.

Skin protection

Only wear fitting, comfortable and clean protective clothing.

In case of increasing hazard add:heat-resistant synthetic fibres

Respiratory protection

Respiratory protection necessary at:In the case of the formation of dust(half-mask with filter (DIN EN 149).)

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Sicoflex 469 COLOR

Revision date: 20.10.2021

Product code: 469_COL

Page 4 of 7

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state: solid (Granulate)
 Colour: various
 Odour: odourless to mild

Test method

pH-Value: not applicable

Changes in the physical state

Melting point: 110-135 °C
 Initial boiling point and boiling range: not applicable
 Flash point: not applicable

Flammability

Solid: No information available.

Explosive properties

In the case of the formation of dust Dust explosive.

Lower explosion limits: not applicable
 Upper explosion limits: not applicable
 Ignition temperature: not applicable

Auto-ignition temperature

Solid: No information available.

Decomposition temperature: > 240 °C

Oxidizing properties

not applicable

Vapour pressure: not applicable

Density: 1.18-1.24 g/cm³Bulk density: 600 - 1000 kg/m³

Water solubility: insoluble

Partition coefficient: not applicable

Viscosity / kinematic: not applicable

Vapour density: not applicable

9.2. Other information

No information available.

SECTION 10: Stability and reactivity**10.1. Reactivity**

This material is considered to be non-reactive under normal use conditions.

10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4. Conditions to avoid

Temperatures above thermal decomposition.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Sicoflex 469 COLOR

Revision date: 20.10.2021

Product code: 469_COL

Page 5 of 7

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

Carbon dioxide Carbon monoxide hydrocarbons.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicocinetics, metabolism and distribution

No information available.

Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
1309-64-4	antimony trioxide				
	oral	LD50 > 34600 mg/kg	Rat	IUCLID	

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Further information

When used and handled according to the specifications, this product does not have any harmful effects to human health according to our experience and the information available. Contact the manufacturer in case the material is to be used in special applications such as in contact with food or for hygiene, medical or surgical end-use.

SECTION 12: Ecological information

12.1. Toxicity

Insoluble in: Water.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
1309-64-4	antimony trioxide					
	Acute fish toxicity	LC50 > 1000 mg/l	96 h	Danio rerio		
	Acute algae toxicity	ErC50 67 mg/l	72 h	Selenastrum paricornutum		
	Acute crustacea toxicity	EC50 > 1000 mg/l	48 h	Daphnia magna		

12.2. Persistence and degradability

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Sicoflex 469 COLOR

Revision date: 20.10.2021

Product code: 469_COL

Page 6 of 7

According to experiences this product is inert and not degradable.

12.3. Bioaccumulative potential

Due to the consistency along with the low water solubility of the product a bioavailability is unlikely.

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

No information available.

12.6. Other adverse effects

No information available.

SECTION 13: Disposal considerations**13.1. Waste treatment methods****Advice on disposal**

Can be burnt together with household waste in compliance with official regulations in contact with approved waste disposal companies and with authorities in charge.

Material recycling possible.

Refer to manufacturer or supplier for information on recovery or recycling.

SECTION 14: Transport information**Land transport (ADR/RID)****14.1. UN number:**

No dangerous good in sense of this transport regulation.

14.2. UN proper shipping name:

No dangerous good in sense of this transport regulation.

14.3. Transport hazard class(es):

No dangerous good in sense of this transport regulation.

14.4. Packing group:

No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)**14.1. UN number:**

No dangerous good in sense of this transport regulation.

14.2. UN proper shipping name:

No dangerous good in sense of this transport regulation.

14.3. Transport hazard class(es):

No dangerous good in sense of this transport regulation.

14.4. Packing group:

No dangerous good in sense of this transport regulation.

Marine transport (IMDG)**14.1. UN number:**

No dangerous good in sense of this transport regulation.

14.2. UN proper shipping name:

No dangerous good in sense of this transport regulation.

14.3. Transport hazard class(es):

No dangerous good in sense of this transport regulation.

14.4. Packing group:

No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)**14.1. UN number:**

No dangerous good in sense of this transport regulation.

14.2. UN proper shipping name:

No dangerous good in sense of this transport regulation.

14.3. Transport hazard class(es):

No dangerous good in sense of this transport regulation.

14.4. Packing group:

No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No dangerous good in sense of this transport regulation.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Sicoflex 469 COLOR

Revision date: 20.10.2021

Product code: 469_COL

Page 7 of 7

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

2010/75/EU (VOC): 0%

2004/42/EC (VOC): 0%

National regulatory information

15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out:
antimony trioxide

SECTION 16: Other information

Relevant H and EUH statements (number and full text)

H351 Suspected of causing cancer.

Further Information

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)